



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES

**600x1200MM**



**matt**  
series

REFLECT YOUR  
**STYLE, ENDLESSLY.**


[www.dakshinamurti.com](http://www.dakshinamurti.com)

## WE ARE DAKSHINAMURTI


DakshinamurTI is a name that carries profound significance, reflecting the essence of the south-facing aspect of Lord Shiva. In the world full of ceramics, our brand stands as a beacon of artistry and innovation. Our commitment to quality and creativity reinforce our position as a prominent brand in the ceramic tiles sector.

Founded in 1995, DakshinamurTI stands as a testament to the fusion of artistry and innovation in the world of ceramics. Our journey has been one of the continuous evolution, marked by a passion for design, a commitment to quality, and unwavering dedication to transforming spaces. As a leading player in industry, we have mastered the delicate balance between creativity and precision, producing an extensive collection that ranges from functional everyday objects to stunning decorative pieces.

**28**  
YEARS  
OF INNOVATION



**INEVITABLE  
BEAUTY THAT  
WOULD LEAVE YOU  
SPELLBIND**



## Our Amazing Product

Matt Series tiles embody contemporary refinement with subtle elegance. Their soft, muted finish evokes natural stone and cement, offering a calming aesthetic and tactile depth. Advanced technology ensures lasting durability, while the understated surface enhances design continuity. Ideal for architects and homeowners seeking modern sophistication, these tiles blend simplicity with luxury for timeless interior expressions.

# Product Advantages

The Matt Series tiles offer unmatched advantages—crafted to be hygienic and easy to clean, they ensure a healthier living space. Their perfectly flat surface guarantees seamless installation, while the tiles are easy to cut, drill, and lay. Built to endure, they resist harsh chemicals, maintaining their beauty and strength over time.

Ideal for both residential and commercial settings, these tiles combine functionality with timeless elegance.



# Technical Spaces



**LET THEM ADORE  
YOUR STYLE STATEMENT**



Design Name :  
**ASH WOOD BROWN**

Surface | Random  
**Matt Surface** | **01**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**ASH WOOD BROWN**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**ASH WOOD CREMA**

Surface | Random  
**Matt Surface** | **01**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**ASH WOOD CREMA**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



**AZZARO GREY LT**



**AZZARO GREY DECOR**



**AZZARO GREY DR**



Surface  
**Matt Surface**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**AZZARO GREY DECOR**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



**AZZARO NATURAL LT**



**AZZARO NATURAL DECOR**



**AZZARO NATURAL DR**



Surface  
**Matt Surface**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**




Design Name :  
**AZZARO NATURAL**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



**LAGON GREY LT**



**LAGON GREY DECOR**



**LAGON GREY DR**



Surface  
**Matt Surface**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**LAGON GREY**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



**MARINA BEIGE LT**



**MARINA BEIGE DECOR**



**MARINA BEIGE DR**



Surface  
**Matt Surface**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**MARINA BEIGE**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



**MARINA BIANCO LT**



**MARINA BIANCO DECOR**



**MARINA BIANCO DR**



Surface  
**Matt Surface**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**MARINA BIANCO**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



**OWK BROWN LT**



**OWK BROWN DECOR**



**OWK BROWN DR**



Surface  
**Matt Surface**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**OWK BROWN**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18001**

Surface | Random  
**Matt Surface** | **03**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18001**

 **DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18002**

Surface | Random  
**Matt Surface** | **05**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18002**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18003**

Surface | Random  
**Matt Surface** | **05**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18003**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18005**

Surface | Random  
**Matt Surface** | **03**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18005**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18006**

Surface | Random  
**Matt Surface** | **05**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18006**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18007**

Surface | Random  
**Matt Surface** | **03**



Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18007**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18008**

Surface | Random  
**Matt Surface** | **04**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18008**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18010**

Surface | Random  
**Matt Surface** | **03**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18010**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**R-18011**

Surface | Random  
**Matt Surface** | **01**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**R - 18011**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**TIMBER WOOD CHERY**

Surface | Random  
**Matt Surface** | **01**


Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**TIMBER WOOD CHERY**




**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES



Design Name :  
**TIMBER WOOD WENGE**

Surface | Random  
**Matt Surface** | **01**

Dimension  
**600x1200MM**  
**60x120CM**  
**2'x4'**



Design Name :  
**TIMBER WOOD WENGE**



**DAKSHINAMURTI**<sup>®</sup>  
TILES FOR ALL SURFACES

## Technical Specifications

Sr.No.	Characteristics	Standard As Per ISO 13006:2018/EN14411 Group Bia	Standard As Per IS 15622:2017	Value Of Dakshinamurti	Test Method
<b>A. Dimension And Surface Quality</b>					
01	Deviation in Length & Width	± 0.30%	± 0.10%	± 0.10%	ISO 10545-2 / IS13630 - 1
02	Deviation in Thickness	± 5.00%	± 5.00%	± 2.00%	ISO 10545-2 / IS13630 - 1
03	Straightness of Sides	± 0.30%	± 0.10%	± 0.10%	ISO 10545-2 / IS13630 - 1
04	Rectangularity	± 0.30%	± 0.10%	± 0.10%	ISO 10545-2 / IS13630 - 1
05	Surface Quality	MIN. 95% OF THE TILES SHALL BE FREE FROM VISIBLE DEFECTS THAT WOULD IMPAIR THE APPEARANCE OF A MAJOR AREA OF THE TILES	MIN. 95% OF THE TILES SHALL BE FREE FROM VISIBLE DEFECTS THAT WOULD IMPAIR THE APPEARANCE OF A MAJOR AREA OF THE TILES	>95% OF THE TILES FREE FROM VISIBLE DEFECTS	ISO 10545-2 / IS13630 - 1
06	Surface Flatness (Center and Edge curvature)	± 0.40%	± 0.50%	± 0.10%	ISO 10545-2 / IS13630 - 1
07	Glossiness	AS PER MANUFACTURER	AS PER MANUFACTURER	MIN. 70%	GLOSSOMETER
<b>B. Structural Properties</b>					
08	Water Absorption	≤ 0.50%	≤ 0.080%	≤ 0.05%	ISO 10545-3 / IS13630 - 2
09	Modulus Of Rupture	MIN. 35 N/mm <sup>2</sup>	MIN. 35 N/mm <sup>2</sup>	MIN. 35 N/mm <sup>2</sup>	ISO 10545-4 / IS13630 - 6
10	Breaking Strength	MIN. 1300 N	MIN. 1300 N	MIN. 1300 N	ISO 10545-4 / IS13630 - 6
11	Impact Resistance (COR)	MIN. 0.55	MIN. 0.55	0.75	ISO 10545-5 / IS13630 - 14
12	Surface Abrasion Resistance	REPORT ABRASION CLASS AND CYCLES PASSED	MIN. CLASS 2	MIN. CLASS 2	ISO 10545-6 / IS13630 - 11
13	Co-efficient of Linear Thermal Expansion	AS PER MANUFACTURER	MAX. 6.00x10 <sup>-6</sup>	MAX. 6.00x10 <sup>-6</sup>	ISO 10545-8 / IS13630 - 4
14	Thermal Shock Resistance	MIN. 10 CYCLES	MIN. 10 CYCLES	RESISTANT	ISO 10545-9 / IS13630 - 5
15	Crazing Resistance	REPORT VALUES	MIN. 4 CYCLES AT 7.5 BAR	RESISTANT	ISO 10545-9 / IS13630 - 9
16	Moisture Expansion	MAX. 0.06 MM/M	MAX. 0.02 MM/M	MAX. 0.02 MM/M	ISO 10545-10 / IS13630 - 3
17	Frost Resistance	AS PER MANUFACTURER	AS PER MANUFACTURER	FROST PROOF	ISO 10545-12 / IS13630 - 10
18	Scratch Hardness of Surface (MOH's scale)	MIN. 6	MIN. 5	MIN. 5	IS13630 - 13
<b>C. Chemical Properties</b>					
19	Resistance to Household Chemicals	MIN. CLASS B	MIN. CLASS AA	MIN. CLASS B/ CLASS AA	ISO 10545-13/ IS13630 - 8
20	Resistance to Acids and Alkalis	AS PER MANUFACTURER	AS PER MANUFACTURER	RESISTANT	ISO 10545-13/ IS13630 - 8
21	Resistance to Stains	MIN. CLASS 3	MIN. CLASS 1	MIN. CLASS 3/ CLASS 1	ISO 10545-14/ IS13630 - 8
<b>Packaging Details</b>					
<b>Size</b>	<b>Pieces Per Box</b>	<b>Sqm/Sq Ft. Per Box</b>			
600x1200mm	2 Pieces	1.44 Sqm/ 15.5 Sq Ft.			



## AKASH CERAMICS PVT. LTD.

---

### Corporate Office

7, Yogi Complex, 3rd Floor, Opp Drive-in-Cinema,  
Ahmedabad - 380054, Gujarat, India

**M:** +91 9825192232

---

### Factory

Gandhinagar-Mansa Highway, Village - Rajpura,  
Taluka - Mansa, Dist - Gandhinagar - 382 845, Gujarat, India.

**M:** +91 99090 07969 | +91 9825192232

---

[www.dakshinamurti.com](http://www.dakshinamurti.com) | [export@dakshinamurti.com](mailto:export@dakshinamurti.com)

 [dakshinamurtitiles](https://www.facebook.com/dakshinamurtitiles) |  [dakshinamurtitiles](https://www.instagram.com/dakshinamurtitiles)



Scan and Download  
OUR CATALOGUE